

Illumi-Neuro-Blend

PEPTIDES

8 week cycle followed by 4 week washout period Dose in the morning You do not have to be fasted to dose Dose 7 days a week Subcutaneous Administration RECOMMENDED DOSING SYRINGES Either .3mL, 29 or 30 gauge, 5/16" OR .5mL, 29 or 30 gauge, 5/16" RECONSTITUTION Mix with 2.5mL (250

8 week cycle followed by 4 week washout period Dose in the morning You do not have to be fasted to dose Dose 7 days a week Subcutaneous Administration RECOMMENDED DOSING SYRINGES Either .3mL, 29 or 30 gauge, 5/16" OR .5mL, 29 or 30 gauge, 5/16" RECONSTITUTION Mix with 2.5mL (250 units) of Bacteriostatic water DOSING Days 1-3: Take 3 units in the morning, daily (PE-22-28: 120mcg, Pinealon:120mcg , NA Semax: 240mcg, Selank: 96mcg) Days 4- 7: Take 4 units in the morning, daily (PE-22-28: 160mcg, Pinealon:160mcg , NA Semax: 320mcg, Selank: 128mcg) Weeks 2- 4: Take 5 units in the morning, daily (PE-22-28: 200mcg, Pinealon:200mcg , NA Semax: 400mcg, Selank: 160mcg) Weeks 5-8: Take 6 units in the morning, daily (PE-22-28: 240mcg, Pinealon:240mcg , NA Semax: 480mcg, Selank: 192mcg)

RESEARCH USE DISCLAIMER: All information in this document is provided strictly for laboratory research and educational purposes. It is not intended for human or veterinary use, diagnosis, or treatment.