

Lipo-C

PEPTIDES

IMPORTANT: Read This Before Proceeding With Dosing Go to the Prep & Injection Guide for proper reconstitution, syringe sizing, and injection protocols. Mistakes here can compromise your research. the Prep & Injection Guide Lipo-C BENEFITS Preserves muscle tis

IMPORTANT: Read This Before Proceeding With Dosing Go to the Prep & Injection Guide for proper reconstitution, syringe sizing, and injection protocols. Mistakes here can compromise your research. the Prep & Injection Guide Lipo-C BENEFITS Preserves muscle tissue and prevents muscle-wasting Reduces body fat Supports fat metabolism Boosts metabolism Supports proper hormone function Improves liver health Increases energy Lowers cholesterol Improves mental clarity, prevents fatigue, enhances memory and mood Promotes healthy liver function Boosts the immune system Supports healthy skin, nails, and hair Aids in detoxification, improving digestion, clearer skin, and immune function Stay hydrated **COMPONENTS** Lipo-C consists of various vitamins, nutrients, and branched-chain amino acids which decrease fat deposits, speed up the metabolism, and promote a healthy liver. The results are generally apparent fairly quickly, within 2-4 weeks. Its ingredients are as follows: Methionine – Supports liver function and fat metabolism; contributes to production of glutathione (antioxidant) Choline Chloride – Enables the liver to package, move, and export fat; enables systemic fat utilization by transporting fat from liver to be used as energy L-Carnitine – Aids in transporting fatty acids into mitochondria to be converted into energy (ATP); plays a direct role in fat utilization Dexpantenol (B5) – Burns fat at the mitochondrial level; essential for fatty acid, carbohydrate, and amino acid metabolism **POSSIBLE SIDE EFFECTS** Injection site reaction (redness, swelling, itching, infection, scarring) Nausea Urinary problems Fatigue Constipation Numbness in feet or hands Excessive sweating or salivation Kidney damage if not properly hydrated Fatigue immediately after injection (typically resolves quickly) **CONTRAINDICATIONS** Do not use if you are allergic to any of the components of this product. Signs of an allergic reaction include: Rash, hives, or itchiness Shortness of breath Chest tightness Swelling of throat, lips, mouth, or tongue **CYCLING, DOSING, AND OTHER CONSIDERATIONS** !!!! DO NOT STORE THIS PRODUCT IN THE REFRIGERATOR OR FREEZER !!!! This product will gel or crystallize if refrigerated or frozen: store between 63°–77°F in a dark, dry environment Dose in the morning to avoid sleep disturbance You do not have to be in a fasted state to dose Minimum 8-week cycle, followed by a washout period of at least half the length of the cycle you completed Intramuscular Administration Standard Protocol Take 50-100 units (500-1,000mcg) once per day, 2-3 days per week Advanced Protocol Take 50-150 units (500-1,500mcg) once per day, 3-5 days per week **STACKING SUGGESTIONS** GLP's – Amplified fat loss and appetite suppression Tesamorelin or CJC-1295 with Ipamorelin – Full-spectrum body recomposition Vitamin B12 – Extra energy and mood stabilization Ideal addition to any weight-loss protocol or post-cycle recovery strategy

RESEARCH USE DISCLAIMER: All information in this document is provided strictly for laboratory research and educational purposes. It is not intended for human or veterinary use, diagnosis, or treatment.